TRENDNET®



2014 Consumer Products

STAY CONNECTED

You Tube ^m

All of our 500+ videos in YouTube's accessible platform

twitter

Follow TRENDnet on Twitter for up to the second news

facebook.

Like us on Facebook to stay connected with TRENDnet

CONTENTS

Wireless AC
Wireless N6
Cloud Cameras
Powerline
Wired14
KVM
USB Peripherals

BLAZING FAST AC

Ultimate Wireless AC performance delivers an unmatched experience



GIGABIT WIRELESS

Experience an incredible Wireless AC rating as high as 1.3 Gigabits per second, with actual throughput exceeding 500 Megabits per second!

FUTURE PROOF

More mobile solutions, computers, and other wireless devices have embedded Wireless AC. Build a future proof network with Wireless AC.

AC + AC

You need to connect to an AC router with an AC enabled device — connecting with Wireless N will bottleneck wireless speeds.

WIRELESS AC ROUTERS

	Coming Soon TRETORET		TREPORT	TRETORET	
	TEW-818DRU	TEW-812DRU	TEW-811DRU	TEW-822DRU	TEW-810DR
AC Rating	AC1900	AC1750	AC1200	AC1200	AC750
Data Rate / Wi-fi Band	1.3 Gbps / AC + 600 Mbps / N	1.3 Gbps / AC + 450 Mbps / N	867 Mbps / AC + 300 Mbps / N	867 Mbps / AC + 300 Mbps / N	433 Mbps / AC + 300 Mbps / N
Ports	Gigabit	Gigabit	Gigabit	Ethernet	Ethernet
USB Port	USB 3.0 / USB 2.0	USB 3.0	USB 2.0	USB 2.0	-
Guest Network	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Pre-Encrypted	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Parental Controls	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Limited Warranty	3 year				



WIRELESS N PERFORMANCE

Choose reliable award winning TRENDnet Wireless N

PERFORMANCE

TRENDnet Wireless N solutions are designed to outperform the competition. Choose feature rich performance with a reputation for reliability.

VALUE

Wireless N is a proven technology which works with most wireless products on the market today and offers solid performance at a reasonable price.

SELECTION

TRENDnet offers over 30 Wireless N solutions to create a new wireless network, extend an existing network, and stay connected while on the go.

WIRELESS N ROUTERS


	THETONET	THEIDIET	TRETONET	TREIDUT	
	TEW-752DRU	TEW-751DR	TEW-733GR	TEW-732BR	TEW-712BR
AC Rating	N600	N600	N300	N300	N150
Data Rate / Band	300 Mbps / 2.4 GHz + 300 Mbps / 5 GHz	300 Mbps / 2.4 GHz + 300 Mbps / 5 GHz	300 Mbps / 2.4 GHz	300 Mbps / 2.4 GHz	150 Mbps / 2.4 GHz
Ports	Gigabit	Ethernet	Gigabit	Ethernet	Ethernet
USB Port	\checkmark	-	-	-	-
Guest Network	\checkmark	\checkmark	\checkmark	\checkmark	√
Pre-Encrypted	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Parental Controls	\checkmark	\checkmark	\checkmark	\checkmark	√
Limited Warranty	3 year	3 year	3 year	3 year	3 year

WIRELESS N ROUTERS

	Transfer P	The second	and the second s	The second secon	(normal and the second s
	TEW-658BRM	TEW-718BRM	TEW-654TR	TEW-714TRU	TEW-655BR3G
AC Rating	N300	N150	N300	N150	N150
Data Rate / Band				150 Mbps / 2.4 GHz	
Ports	Ethernet	Ethernet	Ethernet	Ethernet	USB 2.0
Features	Combination modem	Combination modem + wireless router	Travel router with router, AP, and AP client modes and travel case	Travel router with swappable plugs, USB share port, and USB charge port	3G Travel router with 2.5 hours lithium battery
Limited Warranty	3 year	3 year	3 year	3 year	3 year

WIRELESS N RELIABILITY

WIRELESS N EXTENDERS AND BRIDGES



WIRELESS N USB ADAPTERS

				Q.	
	TEW-664UB	TEW-624UB	TEW-648UB	TEW-648UBM	TEW-646UBH
Rating	N600	N300	N150	N150	N150
Data Rate / Band	300 Mbps / 2.4 GHz + 300 Mbps / 5 GHz	300 Mbps / 2.4 GHz	150 Mbps / 2.4 GHz	150 Mbps / 2.4 GHz	150 Mbps / 2.4 GHz
Ports	USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0
WPS Button	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Features	Compatible with Windows [®] and Mac [®] operating systems	Compatible with Windows® operating systems	Compatible with Windows [®] and Mac [®] operating systems	Compatible with Windows [®] and Mac [®] operating systems	High power wireless extends wireless coverage
Limited Warranty	3 year	3 year	3 year	3 year	3 year

WIRELESS N TOWER ADAPTERS

	TEW-726EC	TEW-623PI	TEW-643PI	TEW-703PI	TEW-703PIL
AC Rating	N600	N300	N150 / N300 ↓	N150	N150
Data Rate / Wi-fi Band	300 Mbps / 2.4 GHz + 300 Mbps / 5 GHz	300 Mbps / 2.4 GHz	150 Mbps / 2.4 GHz	150 Mbps / 2.4 GHz	150 Mbps / 2.4 GHz
Slot	PCle	PCI	PCI	PCI	PCI
Features	low profile face plates for Windows® tower PC	Compatible with Windows® Operating Systems	Compatible with Windows® Operating Systems	Compatible with Windows® Operating Systems	Designed for low profile tower computers
Limited Warranty	3 year	3 year	3 year	3 year	3 year

DIY MONITORING

See live video on the go with TRENDnet cloud cameras



QUICK SETUP

Complete the initial cloud camera setup and see live video, from the camera, on your mobile device in less than five minutes.

REMOTE MONITORING

TRENDnet cloud cameras are supported by a free cloud service and free Apple[®] and Android[™] apps, which bring live video to your mobile devices.

EMAIL ALERTS

Monitor what you value most by setting up motion detection and sound detection video recording and email alerts (for supported models).

FIXED CLOUD CAMERAS

				riggin Tingin	rigger
	TV-IP762IC	TV-IP743SIC	TV-IP742IC	TV-IP751WIC	TV-IP751WC
Video	720p HD	SD	SD	SD	SD
Max. Frame / Rate	1280 x 720 / 30 fps	640 x 480 / 30 fps	640 x 480 / 30 fps	640 x 480 / 20 fps	640 x 480 / 20 fps
Night Vision	5 m	5 m	5 m	7.5 m	-
Audio	2-way	2-way	2-way	1-way	1-way
MicroSD Slot	\checkmark	-	-	-	-
Free Apps	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Limited Warranty	3 year	3 year	3 year	3 year	3 year

PAN TILT CLOUD CAMERAS

		0000 1 101- - 11	- m.
	TV-IP862IC	TV-IP851WIC	TV-IP851WC
Video	720p HD	SD	SD
Max. Frame / Rate	1280 x 720 / 30 fps	640 x 480 / 20 fps	640 x 480 / 20 fps
Pan / Tilt	330° / 115°	340° / 115°	340° / 115°
Night Vision	7.5 m	7.5 m	-
Audio	2-way	1-way	1-way
MicroSD Slot	\checkmark	-	-
Free Apps	\checkmark	√	\checkmark
Limited Warranty	3 year	3 year	3 year

PLUG INTO PERFORMANCE

Powerline adapters auto-connect for instant internet access

AUTO-CONNECT

TRENDnet Powerline adapters auto-connect out of the box simply plug in the adapters with no CD installation. Press the Sync button to change existing encryption.

STABLE

Powerline technology offers a stable network connection. For this reason, many internet service providers prefer streaming HD content over a Powerline connection.

CROSS COMPATIBLE

All TRENDnet Powerline 500 and 200 adapters work with each other and operate at the speed of the slowest connected adapter.

POWERLINE 500

	TPL-405E	TPL-4052E	TPL-410AP	TPL-408E2K	TPL-407E2K	TPL-406E2K
Speed	500 Mbps	500 Mbps	500 Mbps	500 Mbps	500 Mbps	500 Mbps
Port(s)	4 x Gigabit		2 x Ethernet	1 x Gigabit	1 x Ethernet	1 x Ethernet
Powerline Coverage	5000 sq. ft.	5000 sq. ft.	5000 sq. ft.	5000 sq. ft.	5000 sq. ft.	5000 sq. ft.
Power Savings	\checkmark	\checkmark	\checkmark	\checkmark	√	\checkmark
Features	Stream HD to network ready devices around a TV	Connect network ready devices around a TV	Combination Powerline and 300 Mbps Wireless N adapter	High performance adapter	Handy built-in electrical outlet	Mixture of performance and value
Limited Warranty	3 year	3 year	3 year	3 year	3 year	3 year

POWERLINE 200

	Transar Transar	1 mg		· ···
	TPL-305E	TPL-310AP	TPL-308E2K	TPL-308E
Speed	200 Mbps	200 Mbps	200 Mbps	200 Mbps
Port(s)	3 x Ethernet	1 x Ethernet	1 x Ethernet	1 x Ethernet
Powerline Coverage	5000 sq. ft.	5000 sq. ft.	5000 sq. ft.	5000 sq. ft.
Power Savings	\checkmark	\checkmark	\checkmark	\checkmark
Features	Stream HD to network ready devices around a TV	Combination Powerline and 300 Mbps Wireless N adapter	Two unit kit of compact adapters	Compact adapter
Limited Warranty	3 year	3 year	3 year	3 year

GREEN + SWITCHES = GREENnet

GREENnet significantly reduces power consumption by powering down unused ports

			-
A 42	TRO	ENDNET	
	Gigabit Switch TEG-85g	POWER LINK/ACT	

ENERGY SAVINGS

TRENDnet was the first networking hardware brand to launch energy saving GREENnet technology which reduces networking hardware power consumption by up to 70%.

RELIABLE

AND THE PROPERTY AND A DECEMBER OF A DECEMBER OF

All of our products and in particular, our switches and wired routers have developed a strong reputation for reliability—plug in and forget about our durable solutions.


SMART PACKAGING

TRENDnet product packaging contains a minimum 80% recycled materials. Contrary to common retail habits, TRENDnet is also focused on reducing package sizes.

DESKTOP SWITCHES

				Tremmer Hitter		
	TEG-S82g	TEG-S81g	TEG-S5g	TE100-S16D	TE100-S8	TE100-S5
Ports	8 x Gigabit	8 x Gigabit	5 x Gigabit		8 x Ethernet	5 x Ethernet
Forwarding Capacity	16 Gbps	16 Gbps	10 Gbps	3.2 Mbps	1.6 Mbps	1 Mbps
Data Ram Buffer	256 KBytes	256 KBytes	125 KBytes	156 KBytes	56 KBytes	48 KBytes
MAC Entries	8 K	8 K	8 K	4 K	1 K	2 K
Energy Savings	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark	\checkmark
Limited Warranty	3 year	3 year	3 year	3 year	3 year	3 year

WIRED ROUTERS



KVM EFFICIENCY

Control multiple computers with TRENDnet Keyboard Video Mouse (KVM) solutions

EASY INSTALLATION

Simply connect monitor, keyboard, mouse, and audio devices and the computers you wish to control to manage multiple PCs from one workstation.

REDUCE CLUTTER

Reduce cable clutter and increase organizational efficiency by controlling up to four computers with one set of console controls and audio devices.

MANAGE

Improve efficiency by saving the time it takes to physically move from one computer to the next—access computers at the touch of a button with TRENDnet KVM.

DVI MONITOR + USB KEYBOARD/MOUSE


			Gineman Buncon Minimum 	Grancer Grancer
	TK-214i	TK-204UK	TK-222DVK	TK-422DVK
Computer Connections	2	2	2	4
Monitor Port	DVI	DVI	DVI	DVI
Max. Resolution	1920 x 1200	1920 x 1200	2560 x 1600	2560 x 1600
Keyboard / Mouse	USB	USB	USB	USB
Audio Support	\checkmark	\checkmark	✓	\checkmark
Features	Ergonomic toggle switch	2-port USB hub	On screen display	On screen display
Cables	Integrated	Included	Included	Included
Limited Warranty	2 year	2 year	2 year	2 year

VGA MONITOR + USB KEYBOARD/MOUSE

		0		and the second s
	TK-217i	ТК-209К	ТК-409К	ТК-407К
Computer Connections	2	2	4	4
Monitor Port	VGA	VGA	VGA	VGA
Max. Resolution	2048 x 1536	2048 x 1536	2048 x 1536	2048 x 1536
Keyboard / Mouse	USB	USB	USB	USB
Audio Support	-	\checkmark	\checkmark	-
Cables	Integrated	Included	Included	Included
Limited Warranty	2 year	2 year	2 year	2 year

USEFUL USB





18 USB PERIPHERALS

USB HUBS & PERIPHERALS

	TRENDIET	TREPORT			
	TU2-700	TU2-400E	TU2-EX5	TU2-EX12	TU2-P2W
Description	7-Port USB Hub	4-Port USB Hub	5 M USB Cable	12 M USB Cable	Compact Wireless Presenter
Features	Adds 7 USB 2.0 ports to a computer. No CD installation required, simply plug and go	Adds 4 USB 2.0 ports to a computer. No CD installation required, simply plug and go	Extends the distance between a USB device and your computer by 5 meters	Extends the distance between a USB device and your computer by 12 meters	The ultimate all-in-one wireless presentation device providing total control over PowerPoint presentations
Limited Warranty	2 year	2 year	2 year	2 year	2 year

USB ADAPTERS & CONVERTERS

					Curro Carlo
	TU2-ET100	TU2-IDSA	TU-S9	TU-P1284	TU-PS2
Description	USB to Ethernet Adapter	USB to Hard Drive Converter	USB to Serial Converter	USB to Parallel 1284 Converter	USB to PS/2 Converter
Features	Converts a Windows® or Mac® computer's USB port into an Ethernet port	Converts a Windows® or Mac® computer's USB port into a SATA or IDE hard drive port	Converts a Windows® or Mac® computer's USB port into a RS-232 Serial port	Converts a Windows® computer's USB port into a Parallel printer port	Converts a Windows® or Mac® computer's USB port into PS/2 ports
Limited Warranty	3 year	2 year	2 year	2 year	2 year

-



www.TRENDnet.com