





# 5-Port 10/100 Mbps GREENnet Switch TE100-S50g (v2.0R)

- 5 x 10/100 Mbps Ethernet ports
- Sturdy metal housing
- Energy savings GREENnet technology reduces power consumption by up to 40%\*
- •1 Gbps switching capacity
- · Limited lifetime warranty

The 5-Port 10/100 Mbps GREENnet Switch, model TE100-S50g, offers plug and play switching reliability and reduced power consumption. Embedded GREENnet technology reduced power consumption by up to 40% out of the box, with no management requirement. The rugged TE100-S50g is protected by a sturdy metal enclosure.



### **Ease of Use**



### Easy Setup

Plug and play out of the box

## Performance



#### Traffic Management Non-blocking wire-speed architecture



**Ethernet Ports** Total switching capacity of 1 Gbps



Rugged



Rugged Sturdy metal enclosure



#### **Power Savings**

Power saving GREENnet technology reduces power consumption by up to 40%

## **Networking Solution**







## **Specifications**

#### Standards

- IEEE 802.3
- IEEE 802.3u
- IEEE 802.3x
- IEEE 802.3az

#### **Device Interface**

- 5 x 10/100 Mbps Ethernet ports
- LED indicators
- External power adapter

#### **Data Transfer Rate**

- Ethernet: 10 Mbps (half duplex), 20 Mbps (full duplex)
- Fast Ethernet: 100 Mbps (half duplex), 200 Mbps (full duplex)

#### Performance

- Switch fabric: 1 Gbps
- · Non-blocking wire speed
- RAM buffer: 384 Kbits
- MAC Address Table: 1K entries
- Packet filtering/forwarding rates:
  - Ethernet: 14,881pps
  - Fast Ethernet: 148,810pps

#### Special Feature

• Up to 40% GREENnet energy savings

#### Power

- Input: 100-240 V AC, 50/60 Hz, 0.2 A
- Output: 5 V DC, 1 A
- Max. consumption: 1.9 Watts

#### **Operating Temperature**

#### • 0 - 40 °C (32 - 104 °F)

#### **Operating Humidity**

• Max. 90% non-condensing

#### Dimensions

• 116 x 70 x 25 mm (4.57 x 2.76 x 0.98 in.)

#### Weight

• 225 g (7.8 oz)

#### Certifications

• CE • FCC

### Warranty

· Limited lifetime warranty

#### **Package Contents**

- TE100-S50g
- Quick Installation Guide
- Power adapter (5 V DC, 1 A)

\* Max power savings compared with standard TRENDnet switches.

TRENDnet offers a limited lifetime warranty for all of its metal-enclosed network switches that have been purchased in the United States/Canada on or after 1/1/2015. Cooling fan and internal power supply carry a one-year warranty.



20675 Manhattan Place • Torrance • CA 90501 • USA • T: 1- 888-326-6061 • F: 1-310-961-5511 • sales@trendnet.com • www.TRENDnet.com TRENDnet is a registered trademark. Other Brands and product names are trademarks of their respective holders. Information provided in this document pertain to TRENDnet products and is subject to change at any time, without notice. For the most recent product information please visit <u>http://www.trendnet.com</u> Copyright © TRENDnet.All Rights Reserved