TEW-603PI

Quick Installation Guide

Version 09.15.2005





Table of Contents

English	1
Prepare for Installation Install Wireless Configuration Utility Install Hardware Install Drivers Wireless Configuration	2 5 6
Troubleshooting1	

English QIG

1. Prepare for Installation

Thank you for purchasing the TEW-603PI. Your new wireless network adapter will allow you to share the Internet, files, or other resources by connecting you to an 802.11g or 802.11b wireless network. This guide will help you setup and configure your wireless card. Following the installation instructions should be quick and easy. If you run into problems, please refer to the Troubleshooting section or the more detailed installation procedures on the User's Guide CD-ROM. If you need further technical support, please visit www.TRENDNET.com or call by phone.

Verify Package Contents

Please make sure you have everything in the box:







Verify Equipment

Before installing this PCI Adapter, you should have a:

- 1. Pentium class desktop computers with at least one available PCI slot
- 2. Microsoft Windows 2000 or XP
- 3. CD-ROM drive

Important! DO NOT install the PCI adapter in the computer until instructed to do so. Please follow the instructions in Section 2 before installing the adapter into your computer.

2. Install Wireless Configuration Utility

Windows 2000/XP


 Insert the TEW-603PI CD-ROM into your computer's CD-ROM drive; the installation menu will appear automatically. If the window does not appear automatically, click Start, click Run, and type E:\Autorun.exe in the text-field. Click OK to start the installation.

NOTE: Replace "E" in "E:\Autorun.exe" with whichever letter is assigned to your CD-ROM drive.

2. On the Installation Menu, click Install Utility.




3. Click Next.




4. Click Next.




5. Click Install.



6. A warning message will tell you that the device you're installing has not yet been certified for Windows XP compatibility. Click Continue Anyway. For Windows 2000, click Yes.



7. Click Finish.



3. Install Hardware

If you are installing the TEW-603PI Wireless PCI Card:

Proceed only if you have already completed the steps in Section 2

- 1. Shut down your computer.
- Open your computer case to reveal the motherboard and expansion slots. (Please refer to your computer's user manual if you need help opening the case)
- **3.** Insert the wireless card into one of the motherboard's free PCI slots. Press down firmly and evenly on the card until it snaps into place.
- Screw the PCI Card's metal bracket into your case with a standard bracket screw. Attach the included antenna to the connector on the back of your card.
- 5. Close your computer case, and reboot your computer.



4. Install Drivers

Windows 2000


1. Click Next.




Select Search for a suitable driver for my device (recommended) and click Next.




3. Click Next.



4. Click Next.



5. After rebooting your computer, a message will tell you that the driver you are about to install "does not contain a digital signature" and will ask you if you want to continue the installation. Click Yes.




6. Click Finish.




7. Continue to Section 5 of this Quick Installation Guide to continue configuring your wireless card.

Windows XP


After your computer reboots, the "Found New Hardware Wizard" will appear.
Select Install the software automatically and click Next.



A warning message will tell you that the device you're installing has not yet been certified for Windows XP compatibility. Click Continue Anyway.



3. Click Finish.




4. Continue to Section 5 of this Quick Installation Guide to continue configuring your wireless card.

5. Wireless Configuration

1. Double-click the wireless computer icon in your system tray (next to the clock in the bottom right corner of your screen).



Click Site Survey, click Refresh, and select the desired access point. Click Connect.



- 3. Click OK.
- 4. Please verify your connection status.



Congratulations! Installation is now complete.

Troubleshooting

Q1: I completed all the steps in the quick installation guide, but my card isn't connecting to my access point. What should I do?

A1: You should first verify that the Network card's SSID matches your wireless router or access point's SSID. If they already match, you should check your TCP/IP properties to ensure that **Obtain an IP address automatically** is selected. Refer to your Windows User's Manual if you are unable to locate your TCP/IP properties.

Q2: Windows is unable to recognize my hardware. What should I do?

A2: Make sure your computer meets the minimum requirements as specified in Section 1 of this quick installation guide. Also, you must install the wireless configuration utility (as described in Section 2) BEFORE you physically install your network card. Lastly, you may consider moving the card to a different PCI/PC Card Slot

Q3: I cannot open the wireless configuration utility. What should I do?

A3: Go to your device manager (control panel > system) to make sure the adapter is installed properly. If you see a networking device with a yellow question mark or exclamation point, you will need to reinstall the device and/or the drivers.

If you still encounter problems, please refer to the User's Guide CD-ROM or contact technical support.

Certifications

This equipment has been tested and found to comply with FCC and CE Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received including interference that may cause undesired operation.

NOTE: THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.





Product Warranty Registration

Please take a moment to register your product online. Go to TRENDware's website at http://www.TRENDNET.com

TRENDnet Technical Support

US/Canada Support Center

.....

Contact

Telephone: 1(310) 626-6252 **Fax:** 1(310) 626-6267 **Email:** support@trendnet.com

Tech Support Hours

7:30am - 6:00pm Pacific Standard Time Monday - Friday

European Support Center

Contact

Telephone

Deutsch: +49 (0) 6331 / 268-460 Français: +49 (0) 6331 / 268-461 0800-907-161 (numéro vert)

Español : +49 (0) 6331 / 268-462 English : +49 (0) 6331 / 268-463 Italiano : +49 (0) 6331 / 268-464 Dutch : +49 (0) 6331 / 268-465

Fax: +49 (0) 6331 / 268-466

Tech Support Hours

8:00am - 6:00pm Middle European Time Monday - Friday

TRENDware International, Inc.

3135 Kashiwa Street. Torrance, CA 90505

http://www.TRENDNET.com