



TRENDNET



Quick Installation Guide




TEG-S2400i
TEG-S2600i


Table of Contents

Deutsch	1
1. Bevor Sie anfangen	1
2. Herstellung der Verbindung	2
3. Verwendung des Umschalters	3
Troubleshooting	5

1. Bevor Sie anfangen



Anwendung



2. Herstellung der Verbindung

1. Stecken Sie das Stromkabel in die Rückseite des TEG-S2400i/TEG-S2600i.




2. Schließen Sie das Netzkabel an der Vorderseite des Umschalters und an Ihrem PC an.


3. Kontrollieren Sie, dass die LED **PWR** kontinuierlich grün leuchtet. leuchten. Diese LEDs dürfen nicht blinken.

3. Verwendung des Umschalters


1. Gehen Sie zu **Start > Settings(Einstellungen) > Control Panel (Systemsteuerung)**.




2. Doppelklicken Sie auf das Symbol **Network Connection (Netzwerkverbindung)**.




3. Klicken Sie mit der rechten Maustaste auf das Symbol **Local Area Connection (LAN-Verbindung)** und klicken Sie dann auf **Properties (Eigenschaften)**.



4. Klicken Sie auf die Registerkarte **General (Allgemein)** und dort auf **Properties (Eigenschaften)**. Markieren Sie **Internet Protocol(TCP/IP)** (Internetprotokolleigenschaften (TCP/IP)) und klicken Sie auf **Properties (Eigenschaften)**. Ändern Sie die IP-Adresse auf **192.168.223.10** und klicken Sie auf **OK**, damit die neuen Einstellungen wirksam werden.



5. Öffnen Sie Ihren Webbrowser, geben Sie **http://192.168.223.100**, ein und drücken Sie auf die **Eingabetaste (Enter)**.



6. Benutzername: **admin**
Kennwort: **123**



7. Wählen Sie auf der linken Seite die entsprechende Option zur Konfiguration des SNMP-Switch aus.



Ihre Installation ist beendet!

Hinweis: Zusätzliche Informationen zu den erweiterten Funktionen finden Sie in der Bedienungsanleitung.

Q1. How come I cannot see any light from any of my LED's?

A1. Your TEG-S2400i/TEG-S2600i is not getting any power. Make sure that your surge protector or your outlet is getting power and make sure that the AC Power cord is properly connected to your switch.

Q2. After connecting several workstations to the switch, I have all workstations communicating with the server, but I cannot access the switch's web configuration utility. What should I do?

A2. Please change your switch's IP address to match the network segment of your workstations. For configuring your switch's IP address, please consult the User's Guide.

Q3. I have connected several workstations into the switch, but one workstation does not connect to the network. The LEDs on one of the ports remain unlit, while the rest of the ports have blinking LEDs. What do I do?

A3. You either have a faulty network card or a faulty network patch cable. Make sure that your network card and network cable are functional.

If you have any questions regarding your switch please contact TRENDnet Technical Support Department.

Certifications

This equipment has been tested and found to comply with FCC and CE Rules. Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received.
Including interference that may cause undesired operation.



NOTE: THE MANUFACTURER IS NOT RESPONSIBLE FOR ANY RADIO OR TV INTERFERENCE CAUSED BY UNAUTHORIZED MODIFICATIONS TO THIS EQUIPMENT. SUCH MODIFICATIONS COULD VOID THE USER'S AUTHORITY TO OPERATE THE EQUIPMENT.



TRENDnet

TRENDnet Technical Support

US/Canada Support Center

Contact

Telephone: 1(866) 845-3673

Email: support@trendnet.com

Tech Support Hours

24/7 Toll Free Tech Support



European Support Center

Contact**Telephone:**

Deutsch : +49 (0) 6331 / 268-460

Français : +49 (0) 6331 / 268-461

0800-90-71-61 (numéro vert)

Español : +49 (0) 6331 / 268-462

English : +49 (0) 6331 / 268-463

Italiano : +49 (0) 6331 / 268-464

Dutch : +49 (0) 6331 / 268-465

Fax: +49 (0) 6331 / 268-466

Tech Support Hours

8:00am - 6:00pm

Middle European Time

Monday - Friday

Product Warranty Registration

Please take a moment to register your product online.

Go to TRENDnet's website at <http://www.trendnet.com>

TRENDnet

3135 Kashiwa Street
Torrance, CA 90505
USA