



## 2 Mini-GBIC Slot TEG-S3M2MG

### FEATURES

- Compliant with IEEE 802.3ab or IEEE 802.3z Gigabit Standards
- Modules: 2 Gigabit Copper Port (TEG-S3M2CG), 2 Mini-GBIC Slot (TEG-S3M2MG), and Gigabit Copper and Fiber Combo (TEG-S3M11CF)
- Optional Gigabit Modules for TEG-S3000i (Layer 2 Managed Chassis Switch)
- 5-Year Warranty

# 2 Mini-GBIC Slot TEG-S3M2MG

## SPECIFICATIONS

Hardware	
Standards	<ul style="list-style-type: none"><li>• IEEE 802.3 10Base-T</li><li>• IEEE 802.3u 100Base-TX</li><li>• IEEE 802.3ab Gigabit Copper</li><li>• IEEE 802.3z Gigabit fiber for SX and LX</li><li>• IEEE 802.3x Flow Control and Back Pressure</li></ul>
Interface	<ul style="list-style-type: none"><li>• TEG-S3M2CG : 2 x 10/100/1000Mbps Auto-MDIX RJ-45 Port</li><li>• TEG-S3M2MG : 2 x 3.3v Mini-GBIC Slot</li><li>• TEG-S3M11CF : 1 x 10/100/1000Mbps Auto-MDIX RJ-45 Port , 1 x 1000Base-SX Multi-Mode SC Type Fiber Port</li></ul>
LED	<ul style="list-style-type: none"><li>• Link/Activity, 1000Mbps, 1000Mbps, Full Duplex, GBIC Fiber</li></ul>
Cable Parameters	<ul style="list-style-type: none"><li>• Gigabit Copper: Cat.5 or Cat.6 4-pair UTP Cables, up to 100m</li><li>• Mini-GBIC: – LC Type. 62.5/125µm or 50/125µm Multi-Mode Fiber Optic cable (SX) – LC Type. 9/125µm or 10/125µm Single-Mode Fiber Optic cable (LX)</li><li>• Gigabit SX : 50/125um or 62.5/125um Multi-Mode Fiber Optic, up to 550m (wavelength: 850nm)</li></ul>
Dimensions	<ul style="list-style-type: none"><li>• 84 x 88 x 30mm (3.3 x 3.5 x 1.2 in.)</li></ul>
Weight	<ul style="list-style-type: none"><li>• 200g (7.3 oz.)</li></ul>
Temperature	<ul style="list-style-type: none"><li>• Operating: 0°~45°C (32°~113°F) • Storage: -10°~70°C (14°~158°F)</li></ul>
Humidity	<ul style="list-style-type: none"><li>• 10%~90% (non-condensing)</li></ul>
Certification	<ul style="list-style-type: none"><li>• CE, FCC</li></ul>



## PACKAGE CONTENTS

- TEG-S3M2MG

## RELATED PRODUCTS

TEG-S3000i	4-Slot Gigabit Layer 2 Managed Chassis
TEG-S3M8TX	8-Port 10/100Mbps Module
TEG-S3M8FX	8-Port 100Base-FX SC Type Multi-Mode Fiber Module
TEG-S3M8S15	8-Port 100Base-FX SC Type Single-Mode Fiber Module

## ORDERING INFORMATION

### TRENDnet

3135 Kashiwa Street, Torrance, CA 90505 USA  
Tel: 1-310-891-1100  
Fax: 1-310-891-1111  
Web: [www.trendnet.com](http://www.trendnet.com)  
Email: [sales@trendnet.com](mailto:sales@trendnet.com)

To Order Please Call:

**1-888-326-6061**