



TEW-P1U1P 11Mbps Wireless Print Server with 1 USB and 1 Parallel Port

TRENDnet's TEW-P1U1P is a wireless multi-protocol print server that transforms virtually all stand-alone USB and Parallel printer into shared network printers. The TEW-P1U1P incorporates IEEE 802.11b wireless technology for integrating into existing wireless network. An auto-sensing 10/100Mbps RJ-45 interface is also available for trouble-free Ethernet network installation. Network professionals can choose wired or wireless interface depending on the networking project. The TEW-P1U1P is an ideal network solution to transform conventional printers into shared resources on the network. Network managers can utilize the TEW-P1U1P to promote productivity in a workgroup environment and lower equipment cost.



FEATURES

- ••• Compliant with IEEE 802.3 Ethernet, 802.3u Fast Ethernet, and 802.11b 11Mbps Wireless LAN standard
- ---> Also compatible with IEEE 802.11g wireless products
- ---> Compliant with USB 1.1
- ---> Supports Ad-Hoc or Infrastructure wireless mode
- ··· 64/128-bit Wired Equivalent Privacy (WEP) in wireless mode
- *** 512KB Flash and 512KB SDRAM memories
- ··· One 10/100Mbps auto-sensing Fast Ethernet Port
- --- One USB and one Parallel printer port
- --- Supports TCP/IP, NetBEUI, and AppleTalk protocols
- ··· > DHCP Client
- Supports Windows 95/98/NT/Me/2000/XP, Mac OS (9.x and higher), Unix, and Linux
- ----> Configurable via Windows-based administrative program and Web Browser
- ··· PTP, LPD, SMB, IPP and LaserWriter Chooser printing methods
- ··· Diagnostic Printing and Reset Buttons
- ---> 3-year warranty

BENEFITS

- ••• Integration Friendly: Supports multiple protocols and all popular Operating Systems.
- ••• Flexible:

Integrates with 10Base-T, 100Base-TX or IEEE 802.11b Wireless network and supports USB and Parallel Printers.

--- Cost Effective:

Turns the stand-alone printer into a network printer.

Performance:

11Mbps bandwidth for wireless network.



TEW-P1U1P 11Mbps Wireless Print Server with 1 USB and 1 Parallel Port

SPECIFICATIONS

LAN Standards:

• IEEE 802.3 10Base-T and IEEE 802.3u 100Base-TX

LAN Port:

• 10/100Mbps Auto-Sense and Auto-MDIX RJ-45 Port

Wireless Data Rate:

• 11Mbps, 5.5Mbps, 2Mbps, and 1Mbps (auto-fallback)

Antenna:

• Built-in 2dBi Antenna (non-removable)

Printer Interfaces:

• USB 1.1 Type A Female and DB-25 Female Parallel

Network Cables:

- Cat. 3, 4, 5 UTP/STP for 10Base-T (100 meters max.)
- Cat.5 UTP/STP for 100Base-TX (100 meters max.)


Supported Protocols:

• TCP/IP, NetBEUI and AppleTalk

LED Indicator:

• LAN, WLAN, Status, and Error

NETWORKING SOLUTIONS



To Order Please Call: 1-888-326-6061

Power:

• 12V, 800mA DC External Power Adapter

Dimensions:

• 130 x 95 x 28mm (5.1 x 3.7 x 1.1 inches)

Weight:

• 204 g (7.2 Oz)

Temperature:

- Operating: 0° ~ 40° C (32° ~ 104° F)
- Storage: -10° ~ 70° C (14° ~ 158° F)

Humidity:

- Operating: 10% to 80%
- Storage: 5% to 90%

Emission:

• FCC, CE



PRODUCT INFORMATION

- *** TEW-P1P: 11Mbps Wireless 1 Parallel Port Print Server
- ---> TEW-P1U: 11Mbps Wireless 1 USB Port Print Server
- **TEW-P1U1P:** 11Mbps Wireless 1 USB + 1 Parallel Port Print Server
- ···> TE100-PS1U: 10/100Mbps 1 USB Port Print Server
- ---> TE100-P2U1P: 10/100Mbps 2 USB + 1 Parallel Port Print Server
- ---> TE100-PS1plus: 10/100Mbps 1-Parallel Port Print Server
- ··· TE100-PS3plus: 10/100Mbps 3-Parallel Port Print Server

ORDERING INFORMATION

TRENDware International, Inc. 3135 Kashiwa Street Torrance, CA. 90505. USA Tel: 310-891-1100 Fax: 310-891-1111 Web: www.TRENDNET.com Email: sales@trendware.com



TRENDnet is a registered treademark of TRENDware International, Inc. Other Brands and product names are trademarks of their respective holders. Information provided in this document pertain to TRENDware products and is subject to change at any time, without notice. For the most recent product information please visit http://www.TRENDNET.com Copyright * TRENDware International, Inc. 2004. All Rights Reserved.