



M12 to RJ-45 Industrial Ethernet Cable, 5m (16.4 ft.)

TI-CD05 (v1.0R)

- Compatible with the TI-XPG50 industrial M12 switch
- 1 x M12 8-pin A-code cable interface
- •1 x RJ-45 cable interface
- IP67 weather rated
- 5m (16.4 ft.) cable length

TRENDnet's M12 to RJ-45 Industrial Ethernet Cable, 5m (16.4 ft.), model TI-CD05, is designed to connect a PoE device to the TRENDnet industrial M12 railway switch. The M12 cable features one M12 interface, and one RJ-45 interface for a single device connection. This rugged IP67 rated M12 cable is specially designed for moving bus, train, and other rolling stock applications.



NETWORKING SOLUTION



TRENDNET

FEATURES



Cable Interfaces

Designed to connect an RJ-45 PoE device to the 8-pin M12 interface on the industrial railway switch

SPECIFICATIONS

Interface

- 1 x M12 8-pin A-code male interface
- 1 x RJ-45 network interface
- · IP67 rated

Features

- Max. contact resistance: 20Ω
- Min. insulation resistance: DC 200V 10ms $10 M \Omega$
- IP67 rating ensures protection from liquid moisture and fine particulates
- · PUR jacket resists oil and other contaminants



Cable Length 5m (16.4 ft.) cable length



IP67 Rated Cable

Rugged IP67 weather rated cable

Operating Temperature

• -25° – 80° C (-13° – 176° F)

Operating Humidity

Max. 90 % non-condensing

Length

• 5m (16.4 ft.)

Weight

• 250g (8.8 oz.)

Warranty

1 year

Package Contents

• TI-CD05

All references to speed are for comparison purposes only. Product specifications, size, and shape are subject to change without notice, and actual product appearance may differ from that depicted herein.

TRENDnet is a registered trademark. Other Brands and product names are trademarks of their respective holders. Information provided in this document pertain to TRENDnet products and is subject to change at any time, without notice. For the most recent product information please visit http://www.trendnet.com. Copyright © TRENDnet. All Rights Reserved.