



Quick Installation Guide

TPE-082WS (V1)

Table of Contents

1 Italiano

1. Prima di cominciare
2. Installazione e configurazione Hardware

1. Prima di cominciare

Contenuto della Confezione

- TPE-082WS
- Guida di Installazione Rapida
- CD-ROM (Guida Utente)
- Adattatore di alimentazione
- Minuterie per montaggio a rack


Requisiti minimi

- Computer con porta Ethernet e Web browser
- Cavo di rete


Opzioni

- Rack 19" EIA standard
- Moduli Mini-GBIC (e.g. TE100-MGBFX, TEG-MGBSX, TEG-MGBS10, TEG-MGBS40, TEG-MGBS80)

3. Installazione e configurazione Hardware



3. Assignare un indirizzo IP statico alla scheda di rete del proprio computer nella sottorete 192.168.10.x (e.g. 192.168.10.25) con subnet mask 255.255.255.0.
4. Aprire il web browser, digitare l'indirizzo IP dello switch nella barra indirizzi e premere Invio. L'indirizzo IP di fabbrica è 192.168.10.200.



5. Inserire **User name** e **Password** e cliccare **Login**. Preimpostazioni:

User Name: **admin**

Password: **admin**


Nota: User name e Password sono sensibili alle maiuscole/minuscole.



The login screen features a dark grey background with a light grey header containing an ID card icon and the text "TPE-082WS LOGIN". Below the header, there are two input fields: "User Name:" and "Password:". The "User Name:" field contains the text "admin", and the "Password:" field contains six dots. To the left of each field is a callout bubble containing the word "admin". At the bottom right of the form is a "LOGIN" button. To the right of this button is another callout bubble containing the word "LOGIN".


6. Cliccare **System** e poi cliccare **IPv4 Setup**.

7. Configurare lo switch secondo i requisiti richiesti dalla propria rete e poi cliccare **Apply**.



The configuration screen is divided into two main sections. On the left is a sidebar menu with a dark grey background and white text. It has a "System" button at the top and an "IPv4 Setup" button below it. Below these buttons is a list of menu items: "System", "System Management", "IPv4 Setup", "IPv6 Setup", "IPv6 Neighbor", "DNS", "IP Access List", "Administration", "Timeout", "System Time", "SSL", and "DHCP Auto Configuration". On the right is the "IPv4 Setup" configuration panel. It has a dark grey header with the text "IPv4 Setup". Below the header, there are several fields: "System MAC Address:" with the value "00:01:02:03:04:05", "System IP Address:" with the value "192 . 168 . 10 . 200", "System Subnet Mask:" with the value "255 . 255 . 255 . 0", "System Default Gateway:" with the value "0 . 0 . 0 . 0", and "System IP Mode:" with a dropdown menu set to "Static". At the bottom of the panel is an "Apply" button. A callout bubble containing the word "Apply" points to this button.


8. Cliccare **OK**.




The warning dialog box has a dark grey header with the text "WARNING". Below the header, there is a warning icon (a triangle with an exclamation mark) and the text "The management session will be disconnected. Use new IP address to connect to device." At the bottom of the dialog box are two buttons: "OK" and "Cancel". A callout bubble containing the word "OK" points to the "OK" button.

9. Nell'elenco a sinistra clicca **Strumenti** poi clicca su **Configurazione** e successivamente clicca su **Salva**.

10. Cliccare **Save Settings to Flash** (tasto).



11. Cliccare **OK**.



Nota:

1. Se si desidera rilevare tutti gli switch gestibili via web sulla propria rete, assegnare l'indirizzo IP e cambiare la password, allora installare la utility di gestione per web smart switch. Seguire le indicazioni fornite dalla guida utente.
2. Per scaricare la versione aggiornata della guida utente, prego visitare <http://www.trendnet.com/support> e selezionare **TPE-082WS** all'interno del menu a discesa Products Download.



Certifications

This device complies with Part 15 of the FCC Rules.

Operation is subject to the following two conditions:

- (1) This device may not cause harmful interference.
- (2) This device must accept any interference received.

Including interference that may cause undesired operation.



Waste electrical and electronic products must not be disposed of with household waste. Please recycle where facilities exist. Check with your Local Authority or Retailer for recycling advice.

Technical Support

If you have any questions regarding the product installation, please contact our Technical Support.

Toll free US/Canada: **1-866-845-3673**

Regional phone numbers available
at www.trendnet.com/support

TRENDnet

20675 Manhattan Place
Torrance, CA 90501
USA

Applies to PoE Products Only: This product is to be connected only to PoE networks without routing to the outside plant.

Note

The Manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate the equipment.

Advertencia

En todos nuestros equipos se mencionan claramente las características del adaptador de alimentación necesario para su funcionamiento. El uso de un adaptador distinto al mencionado puede producir daños físicos y/o daños al equipo conectado. El adaptador de alimentación debe operar con voltaje y frecuencia de la energía eléctrica domiciliar existente en el país o zona de instalación.

Product Warranty Registration

Please take a moment to register your product online. Go to TRENDnet's website at:

www.trendnet.com/register