



# **5-Port Gigabit PoE+ Switch**

## TPE-TG52 (v1.0R)


- 4 x Gigabit PoE+ ports
- 1 x Gigabit port
- 32W PoE power budget
- 10Gbps switching capacity
- IEEE 802.1p QoS and DSCP pass-through support
- · Compact fanless design
- Wall-mountable metal housing
- Lifetime Warranty

TRENDnet's 5-Port Gigabit PoE+ Switch, model TPE-TG52, reduces equipment and installation costs by delivering data and power over existing Ethernet cables. With PoE technology, users only need one set of cables to deliver both data and power. This compact network switch features four gigabit PoE+ ports and one gigabit port, with a 32W total PoE power budget. The TPE-TG52 PoE+ switch allows you to network PoE devices, such as wireless access points, IP cameras, VoIP phones, IP video encoders, access controls, and more. It features a fanless design, and has a convenient option for wall mounting.










**PoE+** A 32W PoE power budget supports up to four Power over Ethernet devices.

**Gigabit Ports** Five gigabit ports provide a 10Gbps switching capacity to support edge network installations.







# TRENDNET

## FEATURES



**PoE+** Supplies up to 30 watts of PoE power per port with a 32W power budget



Switching Capacity 10Gbps switching capacity



LED Indicators LED indicators convey port status

## SPECIFICATIONS

#### Standards

- IEEE 802.3
- IEEE 802.3u
- IEEE 802.3ab
- IEEE 802.3x
- IEEE 802.3p
- IEEE 802.3af
- IEEE 802.3at

#### Device Interface

- 4 x Gigabit PoE+ ports
- 1 x Gigabit port
- LED indicators

#### Data Transfer Rate

- Ethernet: 10Mbps (half duplex), 20Mbps (full duplex)
- Fast Ethernet: 100Mbps (half duplex), 200Mbps (full duplex)
- Gigabit Ethernet: 2000Mbps (full duplex)



### Gigabit Ports

4 x Gigabit PoE+ Ethernet ports, 1 x Gigabit port

Jumbo Frame Sends Jumbo Frame

Sends Jumbo Frames (up to 9KB) for increased performance



#### **Compact Design**

With a compact and lightweight metal housing design, this switch is wellsuited for desktop installations



#### Fanless

Fanless design is ideal for quiet environments that require silent operation

#### Performance

- Switch Fabric: 10Gbps
- RAM Buffer: 128KB
- MAC Address Table: 2K entries
- Jumbo Frames: 9KB
- Forwarding rate: 7.44Mpps (64-byte packet size)

#### Special Features

- VLAN port isolation
- 802.1p Class of Service (CoS)
- Wall mountable

#### Power

- Input: 100 240 V AC, 50/60Hz, 1.2A
- Output: 54V DC, 0.7A external power adapter
- Max. consumption: 36W

#### PoE

- PoE budget: 32W
- PoE Mode A: Pins 1,2 for power and pins 3,6 for power

#### MTBF

• 3,516,000 hours

#### **Operating Temperature**

• 0° – 40° C (32° – 104° F)

#### **Operating Humidity**

• Max. 90% non-condensing

#### Dimensions

• 121 x 75 x 26mm (4.76 x 2.95 x 1 in.)

#### Weight

• 246g (8.68 oz.)

#### Certifications

- CE
- FCC
- LVD

#### Warranty

Lifetime

#### Package Contents

- TPE-TG52
- Quick Installation Guide
- Power adapter (54V DC, 0.7A)

TRENDnet offers a lifetime warranty for all of its metal-enclosed network switches that have been purchased in the United States/Canada on or after 1/1/2015. Cooling fan and internal power supply carry a one-year warranty.

TRENDnet is a registered trademark. Other Brands and product names are trademarks of their respective holders. Information provided in this document pertain to TRENDnet products and is subject to change at any time, without notice. For the most recent product information please visit http://www.trendnet.com. Copyright © TRENDnet. All Rights Reserved.